

## MIKALOR W5 Acid resistant stainless steel Mikalor Supra wide reinforced hose clamp



### Technical specifications:

The wide and strong hose clamp is made of stainless steel. The screwing out the bolt makes the interior strap rotating, so the clamp can be put on the hose, without taking it down from the hose tail, but also it can be put on from the side without the parts of the clamp falling off.

It is suitable for chemical industry and other areas, which are exposed to heavy chemicals.

The clamp was made according to the EU 20032/95/EC regulations.

Material:

Both the band and the bolt are made of acid resistant steel (AISI 316). The one-piece steel band edges are rounded.

The clamp can be entirely unfolded.

The product is a permanent storage lots. Meantime, we hold the right of selling the stock in products.

Range of dimensions (mm)	Clamping force (Nm)	Bolt thread / Bolt head width	Band with (mm)	Article number
17 - 19	10	M6 / 8 mm	18	105200
19 - 21	10	M6 / 8 mm	18	105201
21 - 23	10	M6 / 8 mm	18	105202
23 - 25	10	M6 / 8 mm	18	105203
25 - 27	10	M6 / 8 mm	18	105204
27 - 29	10	M6 / 8 mm	18	105205
29 - 31	13	M7 / 10 mm	20	105206
31 - 34	13	M7 / 10 mm	20	105207
34 - 37	13	M7 / 10 mm	20	105208
37 - 40	13	M7 / 10 mm	20	105209
40 - 43	16	M7 / 10 mm	20	105210
43 - 47	16	M7 / 10 mm	20	105211
47 - 51	16	M7 / 10 mm	20	105212
51 - 55	16	M7 / 10 mm	20	105213
55 - 59	16	M7 / 10 mm	20	105214
59 - 63	16	M7 / 10 mm	20	105215
63 - 68	16	M7 / 10 mm	20	105216
68 - 73	30	M8 / 13 mm	25	105217
73 - 79	30	M8 / 13 mm	25	105218
79 - 85	30	M8 / 13 mm	25	105219
85 - 91	30	M8 / 13 mm	25	105220

<b>Range of dimensions (mm)</b>	<b>Clamping force (Nm)</b>	<b>Bolt thread / Bolt head width</b>	<b>Band with (mm)</b>	<b>Article number</b>
91 - 97	30	M8 / 13 mm	25	105221
97 - 104	30	M8 / 13 mm	25	105222
104 - 112	30	M8 / 13 mm	25	105223
112 - 121	30	M8 / 13 mm	25	105224
121 - 130	30	M8 / 13 mm	25	105225
130 - 140	45	M10 / 15 mm	28	105226
140 - 150	45	M10 / 15 mm	28	105227
150 - 162	45	M10 / 15 mm	28	105228
162 - 174	45	M10 / 15 mm	28	105229
174 - 187	45	M10 / 15 mm	28	105230
187 - 200	45	M10 / 15 mm	28	105231
200 - 213	45	M10 / 15 mm	28	105232
213 - 226	45	M10 / 15 mm	28	105233
226 - 239	45	M10 / 15 mm	28	105234
239 - 252	45	M10 / 15 mm	28	105235
252 - 265	61	M10 / 15 mm	28	105035
265 - 278	61	M10 / 15 mm	28	105036
278 - 291	61	M10 / 15 mm	28	105037
291 - 304	61	M10 / 15 mm	28	105038
304 - 317	61	M10 / 15 mm	28	105039
317 - 330	61	M10 / 15 mm	28	105040
330 - 343	61	M10 / 15 mm	28	105041
343 - 356	61	M10 / 15 mm	28	105042
356 - 369	61	M10 / 15 mm	28	105043
369 - 382	61	M10 / 15 mm	28	105044
382 - 395	61	M10 / 15 mm	28	105045
395 - 408	61	M10 / 15 mm	28	105046



TRIASZ-TÖMLŐ KFT.

